



SILENCERCO

We Are Just Getting Started

The keys to innovation can be found anywhere ambition dwells, even within the walls of a humble garage. The kindling of inspiration ignited by one simple motivation. To do it better.

Through experimentation and struggle, great ideas come from the hours of nightly ritual.

We've fought the noise and began a revolution that impacted with industrial fervor. The age of silence brought back from the dead and made accessible to those it had been kept from for decades.

Peering through diverse lenses, we test and retest, we push ourselves until something breaks, find out why, then start over. With every success, a thousand failures, and for every failure invaluable knowledge is gained. These new paths formed from trial and error have led our obsession for details that craft precise innovation.

We've taken risks, watched dreams run headfirst into commercial failure, and felt helpless as good intentions sparked unintended consequences.

We are no stranger to turbulent waters because we understand that you can't disrupt an industry without shaking it up. "Playing it safe" is something we leave to those who care more about the bottom line than they do raising the bar.

We have no tolerance for mediocrity and would rather burn in the fiery chasm of failure than to watch ourselves fizzle out in the slog of normalcy.

Our gratitude for the past is immense. It's the foundation that our future builds upon. And while our garage is a little bigger than it once was, the driving motivation established over a decade ago continues to fuel the unquenchable nature of our obsession to do it better.

It would be easy to avoid risk, hit cruise control, and rely on our past successes to stay in business, but that's not why we get out of bed in the morning.

We strive to make the best for our customers because they deserve the best. And make no mistake. We are just getting started.

The Maxim Silencer Company

While we are just getting started, we pay tribute to where it all began, Hiram Percy Maxim, the original inventor of the silencer.



Above:
Original Maxim silencer
patented in 1909

Left to Right:

Original Sparrow 22 Tube
Original Sparrow 22 Half Tube
Original Sparrow 22 Monocore

Current Sparrow 22 Monocore
Current Sparrow 22 Half Tubes
Current Sparrow 22 Tube





Table of Contents

How To Buy	1				15	21	25	29	33	37	39	47	51
			Chimera 300 Saker ASR 566K Saker ASR 556	Omega 36M Omega 300 Hybrid 46	Harvester 300 Harvester 338	Omega 9K Omega 45K Octane 9 2.0 Octane 45 2.0 Osprey 9 Osprey 45 Osprey 45K	Switchback 22 Sparrow 22 Warlock 22	Salvo 12 Salvo 12K	Maxim 9	SCO15			Barrel Restrictions Accessory Compatibility Piston Fit Guide Choke Fit Guide Reference SKUs
Which Rifle Silencer Is Best For Me?	3												
Rifle — Hard Use		5											
Rifle — All Purpose			9										
Rifle — The Hunt				15									
Pistol					21								
Rimfire						25							
Shotgun							29						
Maxim								33					
Gun Parts									37				
Tech Specs										39			
Accessories											47		
Reference Sheets												51	

How To Buy

A quick reference guide to provide you with the simplest and most pleasant silencer buying experience possible. Our full step-by-step guide, the SuppressEd EasyGuide is available on our website **for free** at **silencerco.com**.

Should I Purchase As An Individual Or A Trust?

To purchase a silencer, your dealer will legally transfer the silencer to you with approval from the BATFE. You will need to decide if you want to purchase as an individual or through an NFA trust. An individual gives you, the individual, full ownership of the silencer. An NFA trust gives you, the trust owner, and trustees (responsible persons) ownership of the silencer.

Errors in your submission may cause delays. Follow the mailing checklist to ensure you haven't missed any necessary steps.

Individual

Purchasing a silencer as an individual is **convenient** and **quick**.

INDIVIDUAL BENEFITS

- No Legal Costs
- Less Paperwork
- Smaller Margin of Error

Trust

Purchasing a silencer through an NFA trust provides **flexibility** and **peace of mind**.

TRUST BENEFITS

- Multiple Person Ownership
- Add New Owners At Any Time
- Property Protection After Death

CLEO Mailing Checklist

- ☐ **(1)** CLEO copy of BATFE Form 4 (5320.4) (Application for Tax Paid Transfer and Registration of Firearm)

- ☐ **(1)** CLEO copy of BATFE Form 4 (5320.4) (Application for Tax Paid Transfer and Registration of Firearm)
- ☐ **(1)** CLEO copy of Your BATFE Form 5320.23 (National Firearms Act Responsible Person Questionnaire)
- ☐ **All** responsible persons mail a copy of their 5320.23 to their respective CLEO.

BATFE Mailing Checklist

- ☐ **(1)** \$200 Check to Bureau of Alcohol, Tobacco, Firearms, and Explosives
- ☐ **(2)** ATF Copy 1 & ATF Copy 2 Form 4s (5320.4) (Application for Tax Paid Transfer and Registration of Firearm)
- ☐ Tape **(2)** Passport Photo to Item 15 of each Form4, do **NOT** staple
- ☐ **(2)** Original FBI Form FD-258s (Fingerprint Card)

- ☐ **(1)** Photocopy of Notarized Trust Documentation
- ☐ **(1)** \$200 Check to Bureau of Alcohol, Tobacco, Firearms, and Explosives
- ☐ **(2)** ATF Copy 1 & ATF Copy 2 Form 4s (5320.4) (Application for Tax Paid Transfer and Registration of Firearm)
- ☐ **(1)** ATF Copy 1 & ATF Copy 2 Form 5320.23 (National Firearms Act Responsible Person Questionnaire) from all responsible persons
- ☐ Tape **(1)** Passport Photo to Item 3e on Form 5320.23 do **NOT** staple
- ☐ **(2)** Original FBI Form FD-258s (Fingerprint Card) from all responsible persons/trustees

Omega 300 with Bravo ASR Mount & Flat Front Cap, Ruger Mini-14
SilencerCo Employee: Zach, Hired 2018



Which Rifle Silencer Is Best For Me?



Designed for **rifle** only



Designed for both **rifle** and **pistol**



EXTREME DUTY

VERSATILE

LIGHTWEIGHT



Hard Use

Designed for heavy use on short barreled or full auto firearms.

TECH SPECS ON PAGE 41



All Purpose

Designed for versatility across multiple platforms with a balance for weight and performance.

TECH SPECS ON PAGE 42



The Hunt

Designed for bolt guns, long range precision shooting, and hunting.

TECH SPECS ON PAGE 42

Featured Accessories


Charlie Direct
Thread Mounts



Charlie ASR
Mounting System



SilencerCo
ASR Muzzle Devices



For a complete list of compatible accessories, visit [SilencerCo.com](https://www.silencerco.com)



Hard Use

Fully welded tube and core provides better heat transfer and radial strength during full auto fire. All products in this range are centered around durability for gas- and piston-operated centerfire rifles.

TECH SPECS ON PAGE 41

CHIMERA 300 | SU2616 | \$1,030
5.56 NATO to 300 RUM
LENGTH: 6.88" | WEIGHT: 19.9 oz | DIAMETER: 1.60"
MATERIALS: Cobalt 6, Inconel, & 17-4 SS

SAKER ASR 556 | SU2255 | \$864
5.56 NATO
LENGTH: 6.70" | WEIGHT: 18.1 oz | DIAMETER: 1.50"
MATERIALS: Cobalt 6, 17-4 SS, & 316 SS

SAKER ASR 556K | SU2256 | \$770
5.56 NATO
LENGTH: 5.76" | WEIGHT: 15.6 oz | DIAMETER: 1.50"
MATERIALS: Cobalt 6, 17-4 SS, & 316 SS

Chimera 300 with Charlie Direct Thread Mount
& Flat Front Cap, SCO15 AR-15 Lower with
Diamondback Upper with Vortex Razor AMG UH-1



Chimera 300

Saker ASR 556K

Saker ASR 556



Top: Saker ASR 556 with Charlie ASR Mount & Flat Front Cap, IMI Galil in 5.56x45mm

Bottom: Chimera 300 with Charlie ASR Mount & Flat Front Cap, Sig SG553 with Trijicon ACOG TA-110
SilencerCo Employee: Cody, Hired 2011



Saker ASR 556K with Charlie ASR Mount & Flat Front Cap, FN M249 Belt Fed



Chimera 300 with Charlie ASR Mount & Flat Front Cap, Colt M4LE



Omega 36M

Omega 300

Hybrid 46

All Purpose



Titanium tube over fully welded core provides great strength while being lightweight. All products in this range are designed to be an ideal host on many platforms optimizing weight, length, and sound for overall performance.

TECH SPECS ON PAGE 42

OMEGA 36M | SU4735 | \$1,187
22 Hornet to 338 LM & 9MM Luger
LENGTH: 7.65" | **WEIGHT:** 16.4 oz | **DIAMETER:** 1.57"
MATERIALS: 17-4 SS, Titanium, Cobalt 6, & Inconel

OMEGA 300 | SU1286 | \$1,110
556 NATO to 300 WM
LENGTH: 7.08" | **WEIGHT:** 14.8 oz | **DIAMETER:** 1.57"
MATERIALS: Titanium, Inconel, Cobalt 6 and 17-4 SS

HYBRID 46 | SU1532 | \$999
PISTOL: 9MM to 45 ACP | **RIFLE:** 556 NATO to 45 – 70 GOV
LENGTH: 8.06" | **WEIGHT:** 18.6 oz | **DIAMETER:** 1.57"
MATERIALS: Titanium, Inconel, & 17-4 SS

Omega 36M Short Configuration with Charlie ASR Mount & Charlie Flat Front Cap, SCO15 Build, Bravo Company USA Hand Guard and SB Tactical Brace with Pulsar Trail XP38

Featured Accessories

Direct Thread Mounts
Omega 36M: Charlie
Omega 300: Bravo
Hybrid 46: Bravo



ASR Mounting System
Omega 36M: Charlie
Omega 300: Bravo
Hybrid 46: Bravo



SilencerCo
ASR Muzzle Devices



For a complete list of compatible accessories, visit [SilencerCo.com](https://www.silencerco.com)



Top: Omega 300 with Bravo ASR Mount & Flat Front Cap, XLR Carbon Chassis with Vortex Razor HD Gen II
SilencerCo Employee: Casey, Hired 2011

Bottom: Hybrid 46 with Bravo ASR Mount & Bravo Flat Front Cap, Marlin 1894 Dark Series .45 – 70 GOV
SilencerCo Employee: Sean, Hired 2017



Hybrid 46 with Bravo Piston Mount & Bravo Flat Front Cap, Ed Brown Custom 9MM 1911 with Trijicon RMR



Omega 300 with Bravo ASR Mount & Bravo Anchor Brake, Bergara B-14 HMR with a Vortex Viper PST Gen II, Kopfjager Reaper Rest



Omega 36M, Short Configuration with 3-Lug Mount & Flat Front Cap
Omega 36M, Long Configuration with Charlie ASR Mount & Flat Front Cap



Omega 36M Short Configuration with 3-Lug Mount & Flat Front Cap,
H&K SP5



Omega 36M Short Configuration with Charlie Piston Mount & Flat Front Cap,
Smith & Wesson M&P Shield 9MM
SilencerCo Employee: Justin, Hired 2015



Omega 36M Long Configuration with Charlie ASR Mount & Flat Front Cap ,
Marlin 336BL 30-30 with Vortex Razor Red Dot



Omega 36M Long Configuration with Charlie ASR Mount & Flat Front Cap,
Ruger American Rifle Ranch in 350 Legend with Vortex Diamondback Tactical



All Purpose: Omega 36M

The Omega 36M is a two-piece modular design with a fully welded core, front and rear. The rear core contains Cobalt 6 and Inconel baffles which provides extreme wear resistance under high heat and heavy fire. The front core consists of a new lightweight

17-4 baffle design to save weight while still providing high wear resistance. The titanium outer tube with lock-ring prevents tube loosening and reduces weight. The 36M is finished with a black Cerakote for a heightened level of durability.

Featured Accessories

Charlie ASR Mounting System



Charlie Direct Thread Mount



3-Lug Mounting System



Charlie Piston Mount



For a complete list of compatible accessories, visit [SilencerCo.com](https://www.silencerco.com)

Featured Accessories


Direct Thread Mounts
Harvester 300: Alpha
Harvester 338: Bravo



ASR Mounting System
Harvester 300: Alpha
Harvester 338: Bravo



Standard SilencerCo
ASR Muzzle Devices



For a complete list of compatible accessories, visit [SilencerCo.com](https://www.silencerco.com)




The Hunt

Designed to improve any hunter’s game, the Harvester series is lightweight and has a fully welded core. Both models feature the recoil-reducing Anchor Brake for quick target reacquisition and follow-up shots.

TECH SPECS ON PAGE 42

HARVESTER 338 | SU666 | \$999
5.56 NATO to 338 LM
LENGTH: 10.08” | WEIGHT: 19.5 oz | DIAMETER: 1.82”
MATERIALS: Aluminum & 17-4 SS

HARVESTER 300 | SU627 | \$724
5.56 NATO to 300 WM
LENGTH: 8.85” | WEIGHT: 9.7 oz | DIAMETER: 1.38”
MATERIALS: Aluminum & 17-4 SS



Harvester 338 with Bravo Direct Thread Mount,
Weatherby Mark V 300 Weatherby with Vortex Viper HS LR 4-16x44

Harvester 300

Harvester 338



Harvester 338 with Bravo Direct Thread Mount,
Weatherby Mark V 300 Weatherby with
Vortex Viper HS LR 4-16x44



Harvester 300 with Alpha Direct Thread Mount, Tikka T3 300 WM with Leupold VX-3I 4.5-14x40mm
SilencerCo Employee: Inca the Belgian Malinois, Hired 2018



Harvester 300 with Alpha ASR Mount,
Remington 700 .308 with US Optic LR-17 3.2-17x44




(12) **United States Patent**
Shults et al.

(10) **Patent No.:** US 7,856,914 B2
(45) **Date of Patent:** Dec. 28, 2010

(75) **Inventors:**
Jonathon Shults, Sandy, UT (US);

(73) **Assignee:**
Silencerco, LLC, West Valley City, UT (US)



Left: SilencerCo Sparrow 22 patented in 2010


Right: Original Maxim silencer patented in 1909

SILENCERCO
PAST & PRESENT
PRESERVE THIS SH
WORKS.

PAST & PRESENT !

Inventor:
by *Hiram Percy Maxim*
Redding, Greeley & Christie
Attys.

H. P. MAXIM.
SILENT FIREARM.
APPLICATION FILED JUNE 26, 1908.
916,885. Patented Mar. 30, 1909



WONDERFUL INVENTION HAS BEEN
BE THE BEST MEANS OF TEACHING
SHIP. THE ABSENCE OF NOISE STOPS
ATION TO "FLINCH" AND MAKES IT
O ENJOY TARGET SHOOTING WITHOUT
DISTURBANCE OR ANNOYANCE TO

ARRANGED FOR YOU TO CONVEN-
PURCHASE EITHER THE SILENCER ALONE,
WHO ALREADY HAS A RIFLE, OR ONE
PURE RIFLES EQUIPPED

SILENCER WITH COUPLING,
OWN BELOW, WILL BE
ATTRACTIVE CHRISTMAS
OF PRICE, \$75.00.



Octane 9 2.0 with Silencerco Piston, Sig Sauer P320
SilencerCo Employee: Sean, Hired 2017



Pistol

Designed to be lightweight, yet still offer unmatched sound reduction and rugged durability, our centerfire pistol suppressors have set the standard for handgun sound suppression for over ten years.

TECH SPECS ON PAGE 43

OMEGA 9K | SU1544 | \$865
9MM & 300 BLK
LENGTH: 4.56" | WEIGHT: 8.3 oz | DIAMETER: 1.48"
MATERIALS: Cobalt 6 & 17-4 SS

OMEGA 45K | SU2254 | \$865
9MM to 45 ACP & 300 BLK
LENGTH: 6.39" | WEIGHT: 11.1oz | DIAMETER: 1.48"
MATERIALS: 17-4 SS

OCTANE 9 2.0 | SU4764 | \$624
9MM, 357 SIG & 300 BLK Subsonic
LENGTH: 7.65" | WEIGHT: 11.0 oz | DIAMETER: 1.40"
MATERIALS: Aluminum & 17-4 SS

OCTANE 45 2.0 | SU4763 | \$624
9MM to 45ACP & 300 BLK Subsonic
LENGTH: 8.32" | WEIGHT: 12.1 oz | DIAMETER: 1.40"
MATERIALS: Aluminum & 17-4 SS

OSPREY 9 | SU17 | \$850
9MM & 300 BLK Subsonic
LENGTH: 7.06" | WEIGHT: 9.6 oz | DIMENSIONS: 1.30 X 1.75"
MATERIALS: Aluminum & 17-4 SS

OSPREY 45 | SU12 | \$850
9MM to 45 ACP & 300 BLK Subsonic
LENGTH: 8.06" | WEIGHT: 10.3 oz | DIMENSIONS: 1.30 X 1.75"
MATERIALS: Aluminum & 17-4 SS

OSPREY 45K | SU1274 | \$850
9MM to 45 ACP & 300 BLK Subsonic
LENGTH: 6.56" | WEIGHT: 9.2 oz | DIMENSIONS: 1.30 X 1.75"
MATERIALS: Aluminum & 17-4 SS

Featured Accessories

Alpha ASR Mounting System
Omega K & Octane Series



SilencerCo
Pistons



3-Lug Mounting System
Omega K & Octane Series



For a complete list of compatible accessories, visit [SilencerCo.com](https://www.silencerco.com)



Osprey 9, Glock 19

Top Right: Omega 9K with 9mm 3-Lug Mount, Kriss Vector
SilencerCo Employee: Gizmo the Australian Kelpie Mix
Hired 2015



Omega 45K with SilencerCo Pistol, FNX .45 Tactical



Omega 45K with 3-Lug Mount,
B&T APC45 with Integral 3-Lug Barrel



Octane 9 2.0, H&K VP9

Featured Accessory

Delta Adapters



For a complete list of compatible accessories, visit [SilencerCo.com](https://www.silencerco.com)

Rimfire

Our rimfire silencers are made from the best materials available, and are specifically designed to offer outstanding sound reduction and user-serviceability on rimfire pistols and rifles.

TECH SPECS ON PAGE 45

SWITCHBACK 22 | SU2660 | \$529
22LR, 17 WSM, 17 HMR, 22 WMR,
22 HORNET, 5.7MM X 28, Rated For Full Auto Fire
LENGTH: 5.76" | **WEIGHT:** 6.4 oz | **DIAMETER:** 1.07"
MATERIALS: Titanium & 17 – 4 SS

SPARROW 22 | SU75 | \$374
22LR, 17 WSM, 17 HMR, 22 WMR,
22 HORNET, 5.7MM X 28
Rated For Full Auto Fire With 22LR Only
LENGTH: 5.08" | **WEIGHT:** 6.5 oz | **DIAMETER:** 1.07"
MATERIALS: 17-4 & 316 SS

WARLOCK 22 | SU147 | \$249
22LR
LENGTH: 6.00" | **WEIGHT:** 3.0 oz | **DIAMETER:** 1.00"
MATERIALS: Aluminum

Switchback 22 Rifle Optimized Configuration
CZ455 with Leupold VX 3i 3.5-10x40mm




Switchback 22

Sparrow 22

Warlock 22

RIMFIRE SILENCERS



Sparrow 22, Ruger Mk IV



Switchback 22 Short Configuration, Henry Octagon
Frontier .22

SilencerCo Employee: Josh, Hired 2016



Warlock 22, Glock 44

SilencerCo Employee: Alyssa, Hired 2019

Left: Salvo 12, 6" Configuration, Benelli Nova
Right: Salvo 12K, 8", Benelli Nova

SilencerCo Employees, Father & Son:
Max (Son), Hired 2015;
Mike (Father), Hired 2014

Salvo 12

Salvo 12K (8")



Shotgun

Designed to operate with most pump action and semi automatic shotguns and almost all commercially available ammunition. Configurations of 6 – 12" allow the end user to customize the Salvo 12 for clays, fowl, turkey, home defense — and so on.

TECH SPECS ON PAGE 46

SALVO 12 | SU823 | \$1,249
12 Gauge
LENGTH: 12.50" | **WEIGHT:** 34.4 oz
DIMENSIONS: 2.21" X 2.96"
MATERIALS: Aluminum & 17 – 4 SS

SALVO 12K (8") | SU4755 | \$1,099
12 Gauge
LENGTH: 8.66" | **WEIGHT:** 24.6 oz
DIMENSIONS: 2.21" X 2.96"
MATERIALS: Aluminum & 17 – 4 SS

Featured Accessories

Echo Choke Mounts



Echo Rod Kits



For a complete list of compatible accessories, visit [SilencerCo.com](https://www.silencerco.com)



Salvo 12K (8"), Benelli Ethos
SilencerCo Employee: Jace, Hired 2016



Salvo 12, 12", Saiga 12



Salvo 12K, Remington 870 SBS
SilencerCo Summit Package

Maxim 9

No more choosing between keeping your pistol as short as possible and enduring deafening sound or adding a silencer and dealing with the added length and weight. Now, you can have the best of all worlds with the Maxim 9.

TECH SPECS ON PAGE 46

MAXIM 9 | SU2258 | \$1,499
9MM
Length: 9.54 to 10.75" | Weight: 2 lb, 5 oz to 2 lb, 7 oz
Dimensions: 1.58" X 5.41"

FDE | SU5001 | \$1,579

GREY | SU5002 | \$1,579

Maxim 9 Short Configuration,
Trijicon RMR Type 2 3.25 MOA Adjustable LED Red Dot Sight

Maxim 9



Maxim 9 Black Short Configuration



Maxim 9 Grey Short Configuration
Maxim 9 FDE Long Configuration



Top: 13 early iterations of the Maxim 9



Bottom: An early pieced-together version of the Maxim 9, 2014



SCO15 Build, Bravo Company USA Hand Guard and SB Tactical Brace with Pulsar Trail XP38

Saker ASR 556 with Charlie Direct Thread Mount & Flat Front Cap, SCO15 Build with Diamondback Upper with Vortex Razor AMG UH-1



Gun Parts

The SilencerCo AR-15 Lower Receiver is made from billet 7075-T6 aluminum, it is precision machined for compatibility with all of your preferred parts. The lower receiver is finished in a type III hardcoat anodize for added durability and corrosion resistance. The new design includes a proprietary ambidextrous bolt catch, integrated enlarged trigger guard, and QD sling mounts as well as various other features. With the SilencerCo Billet AR-15 receiver, you get the materials, finish, and features you want and need to complete your dream AR-15 build.

SCO15 | **SU4766** | \$249
Billet AR-15 Lower Receiver
MATERIALS: 7075 Aluminum
FINISH: Type III Hardcoat Anodize

Tech Specs

Osprey 9, Hudson H9

(10) Patent No.: US 8,950,546 B2
(45) Date of Patent: Feb. 10, 2015

(71) Applicant: **Silencerco, LLC** West Valley City, UT
(US)

Tech

Specs

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 13/891,373

(22) Filed: May 10, 2013

(65) **Prior Publication Data**
US 2014/0158459 A1 10/18/2014

Related U.S. Application Data

(63) Continuation of application No. 13/438,608, filed on Apr. 3, 2012, now Pat. No. 8,439,155, which is a continuation of application No. 12/884,598, filed on Sep. 17, 2010, now Pat. No. 8,162,100.

OS/2 SYSTEM DOCUMENTS



CHURCH OF THE HOLY SPIRIT

United States Coast and Geodetic Survey, International System
Report and Warning System, 2000, Vol. 10, 2000, in related U.S.
publication No. PC 1-2010/0406.

(57) ABSTRACT

SILENCERCO

Rifle Tech Specs

Chimera 300 with Charlie ASR Mount & Flat Front Cap, Radian with Trijicon MRO

Chimera 300

Saker ASR 556K

Saker ASR 556

SKU	SU2616	SU2256	SU2255
Caliber	5.56 NATO to 300 RUM	556 NATO	5.56 NATO
Accessories	Charlie & ASR	Charlie & ASR	Charlie & ASR
MSRP	\$1,030	\$770	\$864
Weight	19.9 oz	15.6 oz	18.1 oz
Length	6.88"	5.76"	6.70"
Diameter	1.60"	1.50"	1.50"
Materials	Cobalt 6, Inconel, & 17-4 SS	Cobalt 6, 17-4 SS, & 316 SS	Cobalt 6, 17-4 SS, & 316 SS
5.56 NATO	133.3 dB	136.1 dB	134.0 dB
300 BLK	125.6 dB	Not Compatible	Not Compatible
308 WIN	136.6 dB	Not Compatible	Not Compatible
300 WM	140.3 dB	Not Compatible	Not Compatible

Designed for **rifle** only

Designed for both **rifle** and **pistol**

Omega 36M

Omega 300

Hybrid 46

SKU	SU4735	SU1286	SU1532
Caliber	22 Hornet to 338 LM & 9MM Luger	5.56 NATO to 300 WM	9MM to 45 ACP / 5.56 NATO to 45-70 GOV & up to 338 LM
Accessories	Charlie, ASR, Pistons, & 3-Lug	Bravo & ASR	Bravo, ASR, Pistons, & 3-Lug
MSRP	\$1,187	\$1,110	\$999
Weight	16.4 oz	14.8 oz	18.6 oz
Length	7.65"	7.08"	8.06"
Diameter	1.57"	1.57"	1.57"
Materials	Cobalt 6, Inconel, Titanium, 17-4 SS	Titanium, Inconel, Cobalt 6 & 17-4 SS	Titanium, Inconel, & 17-4 SS
5.56 NATO	130.6 dB	130.1 dB	130.4 dB
300 BLK	124.1 dB	119.5 dB	123.7 dB
308 WIN	136.9 dB	133.2 dB	136.4 dB
300 WM	139.5 dB	140 dB	142.1 dB
338 LM	141.4 dB	Not Compatible	146.5 dB
9MM	123.3 dB	Not Compatible	125.7 dB

Omega 36M Long Configuration with Charlie ASR Mount & Flat Front Cap, Lone Peak Arms Razor TI Action / AI Chassis with a Leupold Mark 8 3.5-25 X 56MM

Harvester 300 with Alpha ASR Mount, Remington 700 .308 with US Optic LR-17 3.2-17x44

Harvester 338

Harvester 300

SKU	SU666	SU627
Caliber	5.56 NATO to 338 LM	5.56 NATO to 300 WM
Accessories	Bravo Mounts & ASR	Alpha Mounts & ASR
MSRP	\$999	\$724
Weight	19.5 oz	9.7 oz
Length	10.08"	8.85"
Diameter	1.82"	1.38"
Materials	Aluminum & 17 - 4 SS	Aluminum & 17 - 4 SS
5.56 NATO	129.6 dB	134.9 dB
300 BLK	124.0 dB	127.2 dB
308 WIN	133.0 dB	135.7 dB
300 WM	134.2 dB	138.3 dB
338 LM	136.6 dB	Not Compatible

Pistol Tech Specs



Omega 45K, Banshee 45ACP with a Vortex Spitfire
SilencerCo Employee: Brooklee, Hired 2020

SKU	SU4764	SU4763	SU1544	SU2254
Caliber	9MM, 357 SIG & 300 BLK Subsonic	9MM to 45 ACP & 300 BLK Subsonic	9MM & 300 BLK	9MM to 45 ACP & 300 BLK
Accessories	Alpha, ASR, 3-Lug, & Pistons	Alpha, ASR, 3-Lug, & Pistons	Alpha, ASR, 3-Lug, & Pistons	Alpha, ASR, 3-Lug, & Pistons
MSRP	\$624	\$624	\$865	\$865
Weight	11.0 oz	12.1 oz	8.3 oz	11.1 oz
Length	7.65"	8.32"	4.56"	6.39"
Diameter	1.40"	1.40"	1.48"	1.48"
Materials	Aluminum & 17-4 SS	Aluminum & 17-4 SS	Cobalt 6 & 17-4 SS	17-4 SS
9MM	127 dB	130.4 dB	135.8 dB	137.7 dB
300 BLK SUB	129.5 dB	133.5 dB	133.7 dB	133.5 dB
45 ACP	Not Compatible	131.8 dB	Not Compatible	135.9 dB

SKU	SU17	SU12	SU1274
Caliber	9MM & 300 BLK Subsonic	9MM to 45 ACP & 300 BLK Subsonic	9MM to 45 ACP & 300 BLK Subsonic
Accessories	Pistons & Fixed Barrel Spacer	Pistons & Fixed Barrel Spacer	Pistons & Fixed Barrel Spacer
MSRP	\$850	\$850	\$850
Weight	9.6 oz	10.3 oz	9.2 oz
Length	7.06"	8.06"	6.56"
Dimensions	1.30" X 1.75"	1.30" X 1.75"	1.30" X 1.75"
Materials	Aluminum & 17-4 SS	Aluminum & 17- 4 SS	Aluminum & 17-4 SS
9MM	127.0 dB	125.2 dB	135.0 dB
300 BLK SUB	129.7 dB	132.6 dB	137.7 dB
45 ACP	Not Compatible	131.3 dB	137.3 dB

Rimfire Tech Specs

Switchback 22



Sparrow 22



Warlock 22



SKU	SU2660	SU75	SU147
Caliber	22 LR, 17 WSM, 17 HMR, 22WMR, 22 HORNET, 5.7X28MM Full Auto Compatibility	22 LR*, 17 WSM, 17 HMR, 22WMR, 22 HORNET, 5.7X28MM *Full Auto Compatibility	22LR
Accessories	Delta Adapters	Delta Adapters	Delta Adapters
MSRP	\$529	\$374	\$249
Weight	6.4 oz	6.5 oz	3.0 oz
Length	5.76"	5.08"	6.00"
Diameter	1.07"	1.07"	1.00"
Materials	Titanium & 17-4 SS	17-4 & 316 SS	Aluminum
22 LR	108.0 dB	112.7 dB	114.6 dB
17 HMR	114.0 dB	124.5 dB	Not Compatible
5.7MM X 28	117.9 dB	127.7 dB	Not Compatible



Switchback 22 Rifle Optimized Configuration, Henry Octagon Frontier .22

Shotgun Tech Specs

Salvo 12



Salvo 12K (8")



SKU	SU823	SU4755
Caliber	12 Gauge	12 Gauge
Accessories	Echo	Echo
MSRP	\$1,249	\$1,099
Weight	34.4 oz	24.6 oz
Length	12.5"	8.66"
Diameter	2.21 X 2.96"	2.21 X 2.96"
Materials	Aluminum & 17-4 SS	Aluminum & 17-4 SS
12 Gauge	136.8 dB	141.8 dB

Salvo 12K (8"), Benelli M2

Maxim Tech Specs

Maxim 9



SKU	SU2258
Caliber	9MM
MSRP	\$1,499 – \$1,579
	LongShort
Weight	2 lb, 7 oz2 lb, 5 oz
Length	10.75"9.54"
115 GR	137.1 dBHearing safe with 9mm subsonic
124 GR	138.3 dBammunition – 147GR or above.
147 GR	136.3 dB139.9 dB

Maxim 9 Black, Long Configuration

Accessories

Alpha

\$133	AC2632	ALPHA ASR MOUNT
\$86		ALPHA DIRECT THREAD MOUNTS
	AC633	1/2 X 28
	AC634	5/8 X 24
	AC635	7/16 X 28
	AC731	1/2 X 32
	AC822	9/16 X 24
	AC1496	3/4 X 24
	AC2629	M13 X .75
	AC837	M18 X 1
	AC150	1/2 X 36
	AC1526	M13.5 X 1LH

Bravo

\$162	AC824	BRAVO ASR MOUNT
\$110		BRAVO DIRECT THREAD MOUNT
	AC1415	1/2 X 28
	AC668	3/4 X 24
	AC669	5/8 X 24
	AC1564	.578 X 28
	AC690	M18 X 1
	AC735	M18 X 1.5
	AC2630	M13 X .75
	AC2435	9/16 X 24
	AC2439	11/16 X 24
	AC4757	3/4 X 20
\$92		BRAVO FRONT CAPS
	AC1340	.30 CAL
	AC4754	6.5MM
	AC1341	.224 CAL
	AC1369	.30 CAL FDE
	AC1370	.224 CAL FDE
	AC1412	9MM
	AC1413	.458 CAL
	AC2022	ANCHOR BRAKE .30 CAL
	AC2081	ANCHOR BRAKE .458 CAL
\$129	AC1417	BRAVO PISTON MOUNT

Charlie

\$162	AC622	CHARLIE ASR MOUNT
\$50	AC4749	CHARLIE COUPLER RING
\$120		CHARLIE DIRECT THREAD MOUNT
	AC4740	1/2 X 28
	AC4743	5/8 X 24
	AC4741	11/16 X 24
	AC4742	3/4 X 24
	AC4744	9/16 X 24
	AC4745	M13 X .75
	AC4747	M18 X 1
	AC4748	M18 X 1.5
\$92		CHARLIE FRONT CAPS
	AC4736	.224CAL
	AC4737	6.5MM
	AC4738	.30CAL
	AC4739	9MM
	AC236	FLASH HIDER FRONT CAP .224CAL
	AC698	FLASH HIDER FRONT CAP .30CAL
\$129	AC4751	CHARLIE PISTON MOUNT

Delta

\$42		DELTA ADAPTERS
	AC115	1/2 X 20
	AC4	SIG MOSQUITO
	AC5	WALTHER P22
	AC61	GSG 1911
	AC77	FN
	AC3	1/2 X 28
	AC875	M&P 22C
\$62	AC1528	OSPREY MICRO ADAPTER 1/2 X 28
\$16	AC6	DELTA THREAD PROTECTOR 1/2 X 28
\$13	AC87	DELTA O-RING PACK
\$16	AC114	DELTA THREADED RIFLE SPACER 1/2 X 28
		Switchback 22
		Sparrow 22
		Warlock 22

Echo

\$124		IMPROVED CYLINDER CHOKES
	AC874	REMINGTON
	AC872	MOSSBERG 500
	AC871	BENELLI CRIO/CRIO PLUS
	AC870	BERETTA/BENELLI MOBIL
	AC1217	BERETTA OPTIMA HP
	AC1245	BROWNING INVECTOR PLUS
\$124		IMPROVED MODIFIED CHOKES
	AC1308	REMINGTON
	AC1310	MOSSBERG 500
	AC1311	BENELLI CRIO/CRIO PLUS
	AC1312	BERETTA/BENELLI MOBIL
	AC1320	BERETTA OPTIMA HP
	AC1315	BROWNING INVECTOR PLUS
\$124		FULL CHOKES
	AC1322	REMINGTON
	AC1323	REMINGTON PRO BORE
	AC1324	MOSSBERG 500
	AC1325	BENELLI CRIO/CRIO PLUS
	AC1326	BERETTA/BENELLI MOBIL
	AC1327	BERETTA OPTIMA HP
	AC1328	BROWNING INVECTOR PLUS
\$62		ADAPTERS
	AC865	SAIGA/VEPR 12 – M22 – .75
	AC1347	KSG –15/16 – 32
\$61		ROD KITS
	AC834	10”
	AC835	8”
	AC836	6”

Salvo 12 Series

Accessories

ASR Mounting System

\$92	ASR MUZZLE BRAKE	
AC1276	9/16 X 24 .30CAL	
AC1282	1/2 X 28 .30CAL	
AC142	1/2 X 28 .224CAL	
AC1557	5/8 X 32 .458CAL	
AC1733	5/8 X 24 .458CAL	
AC591	5/8 X 24 .30CAL	
AC4753	1/2 X 28 6.5MM	
AC4752	5/8 X 24 6.5MM	
AC4766	9/16 X 24 LH .30CAL	
AC4768	1/2 X 28 .355CAL/9MM	
AC1961	11/16 X 24 .458CAL	
AC2631	3/4 X 24 .458CAL	
AC855	M18X1.5 .338CAL	
AC856	M18X1 .338CAL	
AC857	5/8 X 24 .338CAL	
AC858	3/4 X 24 .338CAL	

\$82	ASR SINGLE PORT MUZZLE BRAKE	
	AC2627	5/8 X 24 .30CAL
	AC2628	1/2 X 28 9MM
\$229	ASR ANCHOR BRAKE	
	AC2082	.30 CAL
\$92	ASR FLASH HIDER	
	AC1283	1/2 X 28 .30CAL
	AC1561	M13.5 X 1LH 9MM
	AC1562	1/2 X 36 9MM
	AC141	1/2 X 28 .224CAL
	AC1570	1/2 X 28 9MM
	AC590	5/8 X 24 .30CAL
	AC233	M15 X 1 .30CAL
	AC1278	9/16 X 24 LH .30CAL
\$145	ASR BLAST SHIELD	
	AC1548	

Pistol Accessories

\$86	PISTONS	
	AC25	1/2 X 28
	AC24	.578 X 28
	AC26	M13.5 X 1LH
	AC30	5/8 X 24
	AC28	M16 X 1LH
	AC31	9/16 X 24
	AC1756	1/2 X 28-SN
	AC59	1/2 X 28 XL
	AC626	M13.5 X 1LH XL
	AC57	1/2 X 36
	AC29	M16 X 1
	AC27	M14.5 X 1LH
	AC1346	.578 X 28 XL
\$338	AC728	COMMON PISTON KIT
		INCLUDES 1/2 X 28, .578 X 28, 13.5 X 1LH, 16 X 1LH, 9/16 X 24
\$9	METRIC PISTON O-RING PACK	
	AC90	M13.5
	AC91	M14.5
	AC92	M16
\$10	AC88	BOOSTER ASSEMBLY O-RING PACK
\$59	AC22	FIXED BARREL SPACER
\$140	LOW PROFILE 3-LUG MOUNT	
	AC2447	9MM
	AC2448	45

\$139	THREADED BARRELS	
	AC862	GLOCK 19 1/2 X 28
	AC864	GLOCK 17 1/2 X 28
	AC859	SIG P226 1/2 X 28
	AC2413	SIG P320 FULL SIZE 1/2 X 28
	AC2486	SIG P320 COMPACT 1/2 X 28
	AC860	GLOCK 34 1/2 X 28
	AC2291	BERETTA 92FS/M9 1/2 X 28
	AC1757	GLOCK 23 9/16 X 24
	AC1549	HK VP9 1/2 X 28
	AC2023	M&P 9 1/2 X 28
	AC2290	M&P 9 SHIELD 1/2 X 28
	AC5049	GLOCK 43 1/2 X 28
	AC863	GLOCK 21 .578 X 28
	AC861	GLOCK 17L 1/2 X 28
	AC1329	GLOCK 26 1/2 X 28
	AC50	GLOCK 22 9/16 X 24
	AC2024	M&P 45 .578 X 28
\$86	3-LUG MUZZLE DEVICE	
	AC2604	1/2 X 28 9MM
	AC2607	1/2 X 36 9MM
	AC2609	5/8 X 24 9MM
	AC2602	M13.5 X 1LH 9MM
	AC4756	M18 X 1 9MM
	AC2603	5/8 X 24 .45CAL
	AC2605	.578 X 28 .45 CAL
	AC2606	9/16 X 24 .45 CAL
	AC2608	M16 X 1LH .45 CAL

Maxim 9

\$24.99	AC2449	ACCESSORY RAIL MAXIM 9
MAXIM 9 OPTIC PLATES		
\$34.99	AC2450	OPTIC PLATE 1
	AC2451	OPTIC PLATE 2
	AC2452	OPTIC PLATE 3
	AC2453	OPTIC PLATE 4
		See website for compatibility

Tools & Miscellaneous

\$21	THREAD PROTECTORS	
	AC1360	1/2 X 28
	AC1361	.578 X 28
\$12	AC2633	ALPHA SPANNER WRENCH
\$20	AC56	ALPHA PISTOL TOOL
\$20	AC2626	BRAVO MULTI TOOL
\$20	AC2634	CHARLIE BASIC TOOL
\$20	AC705	CHARLIE MULTI TOOL
\$10	AC2635	DELTA TOOL
\$99	SUPPRESSOR COVERS	
	AC1981	6" GREY HIGH TEMP
	AC1982	7.5" GREY HIGH TEMP
	AC1983	6" BLACK HIGH TEMP
	AC1984	7.5" BLACK HIGH TEMP
	AC1985	6" FDE HIGH TEMP
	AC1986	7.5" FDE HIGH TEMP

ACCESSORIES

Barrel Restrictions

Below: Saker ASR 556K with Charlie ASR Mount & Flat Front Cap, HK MP7

Right: Omega 36M Long Configuration with Charlie ASR Mount & Flat Front Cap, Weatherby Mark V with the US Optic LR17 3.2-17x44



X
Not Compatible

10
Minimum Barrel Length
(In Inches)

✓
No Barrel Restrictions

5.56 NATO	✓	16	16	10	10	10	X	✓
22 Nosler	✓	16	16	10	12	12	X	✓
224 Valkyrie	✓	16	16	10	12	12	X	✓
22-250	✓	16	16	16	16	16	X	✓
6.5 Grendel	✓	16	16	10	12	12	X	X
6.5 Creedmoor	✓	16	16	16	16	16	X	X
26 Nosler	✓	20	20	18	20	20	X	X
6.8 SPC	✓	16	16	10	12	12	X	X
7MM Rem Mag	✓	20	20	18	20	18	X	X
7MM STW	✓	24	20	18	24	20	X	X
28 Nosler	✓	24	20	18	24	20	X	X
300 BLK Subsonic	✓	7	7	✓	✓	✓	7	X
300 BLK Supersonic	✓	16	16	7	7	7	7	X
7.62 X 39	✓	16	16	7	7	7	X	X
308 Win	✓	16	16	16	16	16	X	X
30 – 06	✓	16	16	16	16	16	X	X
300 Win Mag	✓	20	20	18	20	18	X	X
30 Nosler	✓	24	20	18	24	18	X	X
300 Weatherby Mag	✓	24	20	18	24	18	X	X
338 Lapua Mag	X	X	20	18	X	18	X	X
9MM	X	X	X	<	X	✓	✓	X
357 MAG	X	X	X	<	X	✓	9K: 10 45K: 10	X
40 S&W	X	X	X	<	X	X	9K: X 45K: ✓	X
44 MAG	X	X	X	<	X	X	9K: X 45K: 10	X
45 ACP	X	X	X	<	X	X	9K: X 45K: ✓	X
458 SOCOM	X	X	X	8	X	X	9K: X 45K: X	X
	Chimera 300	Harvester 300	Harvester 338	Hybrid 46	Omega 300	Omega 36M	Omega 9K & 45K	Saker ASR 556 & 556K

Accessory Compatibility

Multiple	3-Lug Mount	X	X	X	✓	✓	X	✓	✓	X	X	X	X	X	X
Multiple	3-Lug Muzzle Device	X	X	X	✓	✓	X	✓	✓	X	X	X	X	X	X
AC2632	Alpha ASR Mount	X	✓	X	X	✓	X	X	✓	X	X	X	X	X	X
Multiple	Alpha Direct Thread Mount	X	✓	X	X	✓	X	X	✓	X	X	X	X	X	X
Multiple	ASR Flash Hider	✓	✓	✓	✓	✓	✓	✓	✓	X	✓	X	X	X	X
Multiple	ASR Muzzle Brake	✓	✓	✓	✓	✓	✓	✓	✓	X	✓	X	X	X	X
Multiple	ASR Muzzle Brake Single Port	✓	✓	✓	✓	✓	✓	✓	✓	X	✓	X	X	X	X
Multiple	Bravo Anchor Brake	X	X	X	✓	X	✓	X	X	X	X	X	X	X	X
AC824	Bravo ASR Mount	X	X	✓	✓	X	✓	X	X	X	X	X	X	X	X
Multiple	Bravo Direct Thread Mount	X	X	✓	✓	X	✓	X	X	X	X	X	X	X	X
Multiple	Bravo Front Cap	X	X	X	✓	X	✓	X	X	X	X	X	X	X	X
AC1417	Bravo Piston Mount	X	X	X	✓	X	X	X	X	X	X	X	X	X	X
Multiple	Charlie Direct Thread Mount	✓	X	X	X	X	X	✓	X	X	✓	X	X	X	X
Multiple	Charlie Front Cap	✓	X	X	X	X	X	✓	X	X	✓	X	X	X	X
	Charlie Piston Mount	X	X	X	X	X	X	✓	X	X	X	X	X	X	X
AC115	Delta Adapter	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AC87	Delta O-Ring Pack	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AC114	Delta Threaded Rifle Spacer	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Multiple	Echo Choke	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Multiple	Echo Rod Set	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Multiple	Piston	X	X	X	X	X	X	X	X	X	X	X	X	X	X
AC728	Piston Kit	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Chimera 300															
Harvester 300															
Harvester 338															
Hybrid 46															
Octane Series															
Omega 300															
Omega 36M															
Omega K Series															
Osprey Series															
Saker ASR Series															
Salvo 12															
Sparrow 22															
Switchback 22															
Warlock 22															

Piston Fit Guide

THREAD PITCH	CALIBER	SKU	COMPATIBLE WITH
1/2 X 28	9MM	AC25	Aftermarket Glock® 9mm Smith & Wesson® M&P® 9mm Springfield Armory® XD® 9 & XDM® 9 FN 9mm CZ 9mm Walther 9mm Some 9mm Carbines Other 1/2 X 28 Barrels
1/2 X 28XL	9MM	AC59	Beretta® 92FS/M9
1/2 X 28 SN	9MM	AC1756	Glock 43, 43X, 42 Browning Hi-Power FN FNS 9 Sig P938, P238
1/2 X 36	9MM	AC57	Colt®, Rock River Arms® Some 9mm Pistol Carbines Other 1/2 X 36 Barrels
13.5MM X 1LH	9MM	AC26	Factory H&K® 9mm Factory Sig® 9mm Factory Glock 9mm Other 13.5MM X 1LH Barrels
13.5MM X 1LH XL	9MM	AC626	Sig MPX (Osprey Only) Beretta 92FS/M9 With Metric Barrel
14.5MM X 1LH	40 S&W	AC27	Factory H&K 40 S&W Factory Glock 40 S&W
9/16 X 24	40 S&W	AC31	Aftermarket Glock 40 S&W 10mm Springfield Armory XD 40 Other 9/16 X 24 Barrels
5/8 X 24	30 CAL	AC30	300 AAC Blackout Subsonic Other 5/8 X 24 Barrels
16MM X 1LH	45 ACP	AC28	Factory H&K 45 ACP Factory Glock 45 ACP
16MM X 1RH	45 ACP	AC29	H&K MK 23 SOCOM
.578 X 28	45 ACP	AC24	FNX™-45 1911 45 Smith & Wesson M&P 45 Aftermarket Glock 45 ACP Factory Sig 45 ACP Springfield Armory XD 45 Walther 45 ACP Other .578 X 28 Barrels
.578 X 28XL	45 ACP	AC1346	Select 1911 With Extended Guide Rods
FIXED BARREL SPACER	N/A	AC22	All Fixed Barrels

To find your thread pitch, check the manual that came with your threaded firearm or aftermarket barrel.



Piston
For use on pistols with unlocking barrels.

Compatible with Omega 36M, Omega K Series, Hybrid 46, Osprey Series, and Octane Series.



Fixed Barrel Spacer
For use with fixed barrels.

Compatible with Omega 36M, Omega K Series, Hybrid 46, Osprey Series, and Octane Series.

Echo Choke Guide

Benelli Crio Style	BENELLI CRIO STYLE	BENELLI CRIO STYLE	BERETTA	BROWNING	MOSSBERG	REMINGTON
	Benelli		TX4	Investor Plus	Maverick Pump	870
	Super Black Eagle 2	Benelli	A400 Xplor	BT-99	500	887
	M2	Nova	A400 Xtreme	Silver	535	11-57
	Super Vinci	Super Nova	A400 Xplor Action	BPS	590	1100
	Vinci Tactical	M4	A400 Xcel	Maxus	930	
	Vinci	M1	1301 Comp		9200	
	Ultralight					
	Sport 2	BERETTA	WINCHESTER		FN	H&R
	Legacy Sport	A300	Super X2		SLP	Pardner Pump
Super Sport	3901	Super X3		P12	Topper Trap	
Cordoba		SXP				
Benelli Mobil Style	WEATHERBY				WINCHESTER	
	SA-08				1200	Super X2
	PA-08				1300	Super X3
	SA-459				1400	Ranger
	PA-459				1500	
Benetta Optima HP						
Browning Investor Plus						
Mossberg 500 Style						
Remington Style						



All Echo Chokes are compatible with the Salvo 12 Series

Rifle Silencers

\$1,110	SU1286	OMEGA 300
\$1,110	SU2281	OMEGA 300 BLACK
\$1,110	SU1352	OMEGA 300 FDE
\$1,187	SU4735	OMEGA 36M
\$999	SU1532	HYBRID 46
\$999	SU2271	HYBRID 46 BLACK
\$999	SU2641	HYBRID 46 FDE
\$1,030	SU2616	CHIMERA 300
\$1,030	SU2645	CHIMERA 300 FDE
\$864	SU2255	SAKER 556 ASR
\$770	SU2256	SAKER 556K ASR
\$724	SU627	HARVESTER 300
\$999	SU666	HARVESTER 338

Pistol Silencers



Rimfire Silencers

\$865	SU1544	OMEGA 9K
\$865	SU2254	OMEGA 45K
\$865	SU2643	OMEGA 9K FDE
\$850	SU12	OSPREY 45
\$850	SU1274	OSPREY 45K
\$850	SU17	OSPREY 9
\$624	SU4763	OCTANE 45 2.0
\$624	SU4764	OCTANE 9 2.0



Shotgun Silencers

\$1,249	SU823	SALVO 12
\$1,099	SU4755	SALVO 12K (8")



Maxim 9

\$1,499	SU2258	MAXIM 9
\$1,579	SU5001	MAXIM 9 FDE
\$1,579	SU5002	MAXIM 9 GREY

Gun Parts

\$249	SU4766	SCO15
-------	--------	-------



Hybrid 46 with Bravo ASR Mount & Flat Front Cap,
Mad Pig Customs Marlin 1895SBL 45-70 GOV

SILENCERCO.COM



info@silencerco.com / 801.417.5384
5511 South 6055 West / West Valley City, Utah 84118